WHAT IS CLAIMED IS: 1

- 1. An exercising device comprising: 2
- a main frame; 3

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

- a support frame pivotally mounted on the main frame; and 4
- an arc-shaped rocking bar fixed on the main frame. 5
- 2. The exercising device in accordance with claim 1, wherein the 6 support frame is substantially inverted Y-shaped. 7
 - 3. The exercising device in accordance with claim 1, wherein the main frame has a mediate portion provided with a fixed tube, and the support frame has a first end formed with a substantially U-shaped pivot rack pivotally mounted on the fixed tube of the main frame by a bolt and a nut.
 - 4. The exercising device in accordance with claim 3, wherein the support frame has a second end formed with two support legs each pivotally provided with a roller by a bolt and a nut.
 - 5. The exercising device in accordance with claim 1, wherein the pivot rack of the support frame is provided with a protruding limit rod, the rocking bar is provided with a protruding limit rod, and the exercising device further comprises two opposite belts each having a first end secured on an end of the limit rod of the rocking bar and a second end secured on an end of the limit rod of the pivot rack of the support frame.
 - 6. The exercising device in accordance with claim 1, wherein the rocking bar has two ends each fixed on the main frame by a screw member.

- 7. The exercising device in accordance with claim 1, further comprising a retractable bar retractably mounted on the first end of the main frame.
- 8. The exercising device in accordance with claim 7, wherein the 4 main frame has a first end formed with a plurality of adjusting holes, the 5 retractable bar has a first end formed with a positioning hole aligning with one 6 of the adjusting holes of the main frame, and the exercising device further 7 comprises a substantially V-shaped elastic plate mounted in the retractable bar 8 and having a distal end provided with a positioning stub extended through the 9 positioning hole of the retractable bar and detachably locked in one of the 10 adjusting holes of the main frame. 11
 - 9. The exercising device in accordance with claim 7, wherein the retractable bar has a second end provided with a transverse fixing bar for mounting a head cushion by a plurality of screw members.

12

13

14

15

16

- 10. The exercising device in accordance with claim 1, further comprising two operation handles each mounted on the main frame.
- 11. The exercising device in accordance with claim 10, wherein the
 main frame has a second end provided with a transverse support bar, and each
 of the two operation handles is adjustably mounted on the support bar of the
 main frame.

- 1 12. The exercising device in accordance with claim 11, wherein each
 2 of the two operation handles has a mediate portion provided with a transverse
- 3 adjusting bar adjustably mounted in the support bar of the main frame.
- 4 13. The exercising device in accordance with claim 10, wherein each
- of the two operation handles has a first end provided with a protective grip and
- 6 a substantially arc-shaped second end.
- 7 14. The exercising device in accordance with claim 1, wherein the
- 8 main frame is provided with two fixing plates for mounting a backrest by a
- 9 plurality of screw members.